



## Complete Summary

---

### TITLE

Chronic obstructive pulmonary disease: hospital admission rate.

### SOURCE(S)

AHRQ quality indicators. Guide to prevention quality indicators: hospital admission for ambulatory care sensitive conditions [revision 3]. Rockville (MD): Agency for Healthcare Research and Quality (AHRQ); 2004 Jan 9. Various p. (AHRQ Pub; no. 02-R0203).

## Brief Abstract

### DESCRIPTION

This indicator assesses the number of admissions for chronic obstructive pulmonary disease (COPD) per 100,000 population.

### RATIONALE

Chronic obstructive pulmonary disease (COPD) comprises three primary diseases that cause respiratory dysfunction--asthma, emphysema, and chronic bronchitis--each with distinct etiologies, treatments, and outcomes. This indicator examines emphysema and bronchitis; asthma is discussed separately for children (see the National Quality Measures Clearinghouse [NQMC] summary of the Agency for Healthcare Research and Quality [AHRQ] indicator [Pediatric Asthma: Hospital Admission Rate](#)) and adults (see the National Quality Measures Clearinghouse [NQMC] summary of the Agency for Healthcare Research and Quality [AHRQ] indicator [Adult Asthma: Hospital Admission Rate](#)).

Proper outpatient treatment may reduce admissions for COPD, and lower rates represent better quality care.

### PRIMARY CLINICAL COMPONENT

Chronic obstructive pulmonary disease; hospital admission rates

### DENOMINATOR DESCRIPTION

Population in Metropolitan Statistical Area (MSA) or county, age 18 years and older

### NUMERATOR DESCRIPTION

Discharges, age 18 years and older, with International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) principal diagnosis code for chronic obstructive pulmonary disease (COPD). Patients transferring from another institution, Major Diagnostic Category (MDC) 14 (pregnancy, childbirth, and puerperium), or MDC 15 (newborns and other neonates) are excluded.

## Evidence Supporting the Measure

### PRIMARY MEASURE DOMAIN

Outcome

### SECONDARY MEASURE DOMAIN

Access  
Process

### EVIDENCE SUPPORTING THE MEASURE

One or more research studies published in a National Library of Medicine (NLM) indexed, peer-reviewed journal

## Evidence Supporting Need for the Measure

### NEED FOR THE MEASURE

Wide variation in quality for the performance measured

### EVIDENCE SUPPORTING NEED FOR THE MEASURE

AHRQ quality indicators. Guide to prevention quality indicators: hospital admission for ambulatory care sensitive conditions [revision 3]. Rockville (MD): Agency for Healthcare Research and Quality (AHRQ); 2004 Jan 9. Various p. (AHRQ Pub; no. 02-R0203).

## State of Use of the Measure

### STATE OF USE

Current routine use

### CURRENT USE

Internal quality improvement  
Quality of care research

## Application of Measure in its Current Use

### CARE SETTING

Ambulatory Care  
Community Health Care

### PROFESSIONALS RESPONSIBLE FOR HEALTH CARE

Advanced Practice Nurses  
Physician Assistants  
Physicians

### LOWEST LEVEL OF HEALTH CARE DELIVERY ADDRESSED

Counties or Cities

### TARGET POPULATION AGE

Age greater than or equal to 18 years

### TARGET POPULATION GENDER

Either male or female

### STRATIFICATION BY VULNERABLE POPULATIONS

Unspecified

## Characteristics of the Primary Clinical Component

### INCIDENCE/PREVALENCE

Unspecified

### ASSOCIATION WITH VULNERABLE POPULATIONS

Millman et al. found that low-income zip codes had 5.8 times more chronic obstructive pulmonary disease (COPD) hospitalizations per capita than high-income zip codes.

### EVIDENCE FOR ASSOCIATION WITH VULNERABLE POPULATIONS

Millman M, editor(s). Access to health care in America. Committee on Monitoring Access to Personal Health Care Services. Washington (DC): National Academy Press; 1993. 240 p.

### BURDEN OF ILLNESS

Unspecified

## UTILIZATION

Unspecified

## COSTS

Unspecified

# Institute of Medicine National Healthcare Quality Report Categories

## IOM CARE NEED

Living with Illness

## IOM DOMAIN

Effectiveness  
Timeliness

# Data Collection for the Measure

## CASE FINDING

Both users and nonusers of care

## DESCRIPTION OF CASE FINDING

All individuals age 18 years and older in Metropolitan Statistical Area (MSA) or county

## DENOMINATOR SAMPLING FRAME

Geographically defined

## DENOMINATOR (INDEX) EVENT

Patient Characteristic

## DENOMINATOR INCLUSIONS/EXCLUSIONS

### Inclusions

All individuals age 18 years and older in geographic areas defined at the Metropolitan Statistical Area (MSA) level or the county level

### Exclusions

Unspecified

## NUMERATOR INCLUSIONS/EXCLUSIONS

### Inclusions

Discharges, age 18 years and older, with International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) principal diagnosis code for chronic obstructive pulmonary disease (COPD) (see Appendix A of the original measure documentation for ICD-9-CM codes)

### Exclusions

Patients transferring from another institution, Major Diagnostic Category (MDC) 14 (pregnancy, childbirth, and puerperium), or MDC 15 (newborns and other neonates) are excluded.

## DENOMINATOR TIME WINDOW

Time window is a single point in time

## NUMERATOR TIME WINDOW

Encounter or point in time

## DATA SOURCE

Administrative data

## LEVEL OF DETERMINATION OF QUALITY

Not Individual Case

## OUTCOME TYPE

Proxy for Outcome

## PRE-EXISTING INSTRUMENT USED

Unspecified

## Computation of the Measure

## SCORING

Rate

## INTERPRETATION OF SCORE

Better quality is associated with a lower score

## ALLOWANCE FOR PATIENT FACTORS

Analysis by subgroup (stratification on patient factors)  
Risk adjustment method widely or commercially available

#### DESCRIPTION OF ALLOWANCE FOR PATIENT FACTORS

Observed (raw) rates may be stratified by areas (Metropolitan Statistical Areas or counties), age groups, race/ethnicity categories, and sex.

Risk adjustment of the data is recommended using age and sex.

Application of multivariate signal extraction (MSX) to smooth risk adjusted rates is also recommended.

#### STANDARD OF COMPARISON

External comparison at a point in time  
External comparison of time trends  
Internal time comparison

### Evaluation of Measure Properties

#### EXTENT OF MEASURE TESTING

Each potential quality indicator was evaluated against the following six criteria, which were considered essential for determining the reliability and validity of a quality indicator: face validity, precision, minimum bias, construct validity, fosters real quality improvement, and application. The project team searched Medline for articles relating to each of these six areas of evaluation. Additionally, extensive empirical testing of all potential indicators was conducted using the 1995-97 Healthcare Cost and Utilization Project (HCUP) State Inpatient Databases (SID) and Nationwide Inpatient Sample (NIS) to determine precision, bias, and construct validity. Table 1 in the original measure documentation summarizes the results of the literature review and empirical evaluations on the Prevention Quality Indicators. Refer to the original measure documentation for details.

#### EVIDENCE FOR RELIABILITY/VALIDITY TESTING

AHRQ quality indicators. Guide to prevention quality indicators: hospital admission for ambulatory care sensitive conditions [revision 3]. Rockville (MD): Agency for Healthcare Research and Quality (AHRQ); 2004 Jan 9. Various p. (AHRQ Pub; no. 02-R0203).

### Identifying Information

#### ORIGINAL TITLE

Chronic obstructive pulmonary disease admission rate.

#### MEASURE COLLECTION

[Agency for Healthcare Research and Quality \(AHRQ\) Quality Indicators](#)

MEASURE SET NAME

[Agency for Healthcare Research and Quality \(AHRQ\) Prevention Quality Indicators](#)

DEVELOPER

Agency for Healthcare Research and Quality

ADAPTATION

This indicator was originally developed by Billings and colleagues in conjunction with the United Hospital Fund of New York.

PARENT MEASURE

Unspecified

RELEASE DATE

2001 Oct

REVISION DATE

2004 Jan

MEASURE STATUS

This is the current release of the measure.

SOURCE(S)

AHRQ quality indicators. Guide to prevention quality indicators: hospital admission for ambulatory care sensitive conditions [revision 3]. Rockville (MD): Agency for Healthcare Research and Quality (AHRQ); 2004 Jan 9. Various p. (AHRQ Pub; no. 02-R0203).

MEASURE AVAILABILITY

The individual measure, "Chronic Obstructive Pulmonary Disease Admission Rate," is published in "AHRQ Quality Indicators. Guide to Prevention Quality Indicators: Hospital Admission for Ambulatory Sensitive Conditions." This document is available in [Portable Document Format \(PDF\)](#) and a [zipped WordPerfect\(R\) file](#) from the [Quality Indicators](#) page at the Agency for Healthcare Research and Quality (AHRQ) Web site.

For more information, please contact the QI Support Team at [support@qualityindicators.ahrq.gov](mailto:support@qualityindicators.ahrq.gov).

## COMPANION DOCUMENTS

The following are available:

- "AHRQ Prevention Quality Indicators Software (Version 2.1 Revision 3)" (Rockville, [MD]: AHRQ, 2004 Jan 9) and its accompanying documentation can be downloaded from the [Agency for Healthcare Research and Quality \(AHRQ\) Web site](#). (The software is available in both SAS- and SPSS-compatible formats.)
- Guidance for using the AHRQ quality indicators for hospital-level public reporting or payment. Rockville (MD): Agency for Healthcare Research and Quality; 2004 Aug. 24 p. This document is available from the [AHRQ Web site](#).
- "HCUPnet, Healthcare Cost and Utilization Project" [internet]. (Rockville (MD): Agency for Healthcare Research and Quality (AHRQ); 2004 [Various pagings]). HCUPnet is available from the [AHRQ Web site](#).
- "Refinement of the HCUP Quality Indicators" (Rockville [MD]: AHRQ, 2001 May. Various pagings. [Technical review; no. 4]; AHRQ Publication No. 01-0035). This document was prepared by the UCSF-Stanford Evidence-based Practice Center for AHRQ and can be downloaded from the [AHRQ Web site](#).

## NQMC STATUS

This NQMC summary was completed by ECRI on December 19, 2002. The information was verified by the Agency for Healthcare Research and Quality on January 9, 2003. This NQMC summary was updated by ECRI on April 6, 2004.

## COPYRIGHT STATEMENT

No copyright restrictions apply.

© 2004 National Quality Measures Clearinghouse

Date Modified: 11/1/2004

**FIRSTGOV**

